

AMENDMENTS TO THE CLAIMS

Claim 1 (Previously presented): A method to stably modulate the expression of a target gene in a plant cell comprising the steps of:

a) introducing into a plant cell an expression vector comprising a nucleotide sequence encoding a synthetic zinc finger protein, said zinc finger protein that specifically binding to a target nucleotide sequence, or a complementary strand thereof, within a target gene,

wherein said target nucleotide sequence comprises 18 nucleotides and wherein said zinc finger protein is a hexadactyl zinc finger protein comprising one individual zinc finger protein with mutations at one or more of the base-contacting positions; and

b) allowing said zinc finger protein to bind to said target nucleotide sequence, whereby the expression of said target gene in said plant cell is stably modulated.

Claim 2 (Canceled)

Claim 3 (Previously presented): The method of claim 1, wherein a nucleotide sequence encoding the zinc finger protein is stably expressed in the plant cell and wherein the plant cell is maintained under conditions such that the expressed zinc finger protein binds to the target nucleotide sequence and regulates the expression of the target gene in the plant cell.

Claim 4 (Currently amended): A method to stably modulate the expression of a target gene in a plant comprising the steps of:

a) introducing into plant cell an expression vector comprising a nucleotide sequence encoding a synthetic zinc finger protein, said zinc finger protein that specifically binds to a target nucleotide sequence, or a complementary strand thereof, within a target gene,

wherein said target nucleotide sequence comprises 18 nucleotides and wherein said zinc finger protein is a hexadactyl zinc finger protein comprising one individual zinc finger DNA binding site with mutations at one or more of the base-contacting positions;

b) culturing said plant cell under conditions wherein said zinc finger protein is stably produced and binds to said target nucleotide sequence; and

c) growing a plant from the plant cell,
whereby expression of said target gene in said plant cell is stably modulated.

Claim 5 (Previously presented): The method of claim 1, wherein the target nucleotide sequence is endogenous or exogenous to the target gene.

Claim 6 (Previously presented): The method of claim 1, wherein the target nucleotide sequence is upstream of, downstream of, or within the coding region of the target gene.

Claim 7 (Previously presented): The method of claim 1, wherein the target nucleotide sequence is DNA, RNA, PNA or a combination thereof.

Claim 8 (Previously presented): The method of claim 1, wherein the target nucleotide sequence is a promoter of a regulatory protein.

Claims 9-10 (Canceled)

Claim 11 (Previously presented): The method of claim 1, wherein the targeted nucleotide sequence is of the formula (GNN)₆, and wherein N is any one of the A, T, C or G.

Claim 12 (Canceled)

Claim 13 (Previously presented): The method of claim 1, wherein the target nucleotide sequence is endogenous to the plant but is in a non-naturally-occurring location.

Claim 14 (Previously presented): The method of claim 1, wherein the plant cell comprises at least two copies of the same or different target nucleotide sequence(s).

Claim 15 (Previously presented): The method of claim 14, wherein each target nucleotide sequence is located within a different target gene, whereby more than one different target genes are modulated.

Claim 16 (Previously presented): The method of claim 1, wherein the target gene encodes a protein or a peptide of interest.

Claim 17 (Canceled)

Claim 18 (Previously presented): The method of claim 1, wherein the target gene encodes myoinositol 1-phosphate synthase.

Claim 19 (Previously presented): The method of claim 1, wherein the target gene encodes a protein and the expression of said encoded protein is modulated.

Claim 20 (Previously presented): The method of claim 19, wherein the protein whose expression being modulated is heterologous to the plant cell.

Claim 21 (Previously presented): The method of claim 20, wherein the protein whose expression being modulated is an antibody.

Claim 22 (Previously presented): The method of claim 19, wherein the expression of the protein is activated.

Claims 23-27 (Canceled)

Claim 28 (Currently amended): The method of ~~claim 23~~ claim 1, wherein the ~~metabolic~~ pathway protein encoded by the target gene enhances an input or output trait in a said plant cell.

Claim 29 (Previously presented): The method of claim 19, wherein the target gene encodes an enzyme, a transport protein, a nutrient or storage protein, a defense protein or a regulatory protein.

Claim 30 (Previously presented): The method of claim 19, wherein the target gene encodes an enzyme or a co-factor.

Claims 31-35 (Canceled)

Claim 36 (Previously presented): The method of claim 1, wherein the zinc finger protein binds to the complementary strand of the target nucleotide sequence.

Claim 37 (Previously presented): The method of claim 1, wherein the zinc finger protein specifically binds to an effector domain of the target sequence and whereby the expression of the target gene is modulated by competitive inhibition of said effector domain.

Claim 38 (Previously presented): The method of claim 37, wherein the zinc finger protein does not comprise an effector domain.

Claim 39 (Previously presented): The method of claim 1, wherein the zinc finger protein comprises an effector domain active in the host plant cell.

Claim 40 (Previously presented): The method of claim 1, wherein the zinc finger protein comprises a plurality of finger regions.

Claim 41 (Previously presented): The method of claim 40, which comprises linker regions among the plurality of finger regions.

Claim 42 (Previously presented): The method of claim 1, wherein the zinc finger protein comprises at least two 3-finger regions and the linker region between any said two 3-finger regions is from about 2 to about 10 amino acid residues in length.

Claim 43 (Previously presented): The method of claim 42, wherein the linker region between any said two 3-finger regions is about 5 amino acid residues in length.

Claim 44 (Previously presented): The method of claim 1, wherein the zinc finger protein comprises a framework from a plant zinc finger protein.

Claim 45 (Canceled)

Claim 46 (Previously presented): The method of claim 1, wherein the zinc finger protein is selected from the group consisting of ZFPm1, ZFPm2, ZFPm3, ZFPm4 and ZFPAp3.

Claim 47 (Canceled)

Claim 48 (Previously presented): The method of claim 1, wherein the plant cell is a monocot or dicot plant cell.

Claim 49 (Previously presented): The method of claim 1, wherein the plant cell is included within an intact plant or constitutes all the cells of an intact plant.

Claim 50 (Currently amended): The method of claim 1, wherein the plant cells are ~~protoplasts or spheroplasts~~ cell is a protoplast or a spheroplast.

Claim 51 (Previously presented): The method of claim 1, wherein the modulation of the gene expression is activation or repression.

Claim 52 (Previously presented): The method of claim 1, wherein the modulation of the gene expression is at least two fold.

Claim 53 (Previously presented): The method of claim 52, wherein the modulation is at least five fold repression.

Claim 54 (Previously presented): The method of claim 52, wherein the modulation is at least two fold activation.

Claim 55 (Previously presented): The method of claim 1, wherein the modulation changes the phenotype of the plant cell.

Claim 56 (Currently amended): The method of claim 4, wherein the plant ~~cells are~~ cell is contained in an *in vitro* culture.

Claim 57 (Previously presented): The method of claim 4, wherein the plant cell is cultured in planta.

Claim 58 (Previously presented): The method of claim 1, wherein the expression vector comprises an inducible promoter.

Claim 59 (Previously presented): The method of claim 1, wherein the expression of the zinc finger protein is controlled by a tissue-specific promoter and whereby tissue-specific modulation of the target gene expression is obtained.

Claim 60 (Previously presented): The method of claim 59, wherein the tissue is selected from the group consisting of calli, meristem, leave, root and organ explant in tissue culture.

Claim 61 (Previously presented): The method of claim 1, wherein the zinc finger protein is expressed in a specific organelle.

Claim 62 (Previously presented): The method of claim 61, wherein the organelle is selected from the group consisting of a mitochondria, a nucleus, a plastid and a vacuole.

Claim 63 (Previously presented): The method of claim 62, wherein the plastid is selected from the group consisting of a chloroplast, a leucoplast, an aravloplast and a chromoplast.

Claim 64 (Previously presented): The method of claim 1, wherein the zinc finger protein is stably integrated in a specific organelle of a plant cell.

Claim 65 (Previously presented): The method of claim 1, wherein the zinc finger protein is targeted to a specific organelle.

Claim 66 (Previously presented): The method of claim 65, wherein the zinc finger protein is targeted to plastid via a plastid transit peptide, to chloroplast via a chloroplast transit peptide, to mitochondrial via a mitochondrial target peptide or to nucleus via a nuclear targeting peptide.

Claim 67 (Canceled)

Claim 68 (Previously presented): The method of claim 1, wherein the zinc finger protein comprises preferred codons of the host plant cell.

Claim 69 (Previously presented): The method of claim 68, wherein the zinc finger protein comprises preferred translational start codon of the host plant cell.

Claim 70 (Previously presented): A method of stably modulating the level of a compound in a plant cell, which method comprises introducing into a plant cell an expression vector comprising a nucleotide sequence encoding a synthetic zinc finger protein that specifically binds to a target nucleotide sequence, or a complementary strand thereof, within a target gene encoding said compound,

wherein said target nucleotide sequence comprises 18 nucleotides and wherein said zinc finger protein is a hexadactyl zinc finger protein comprising one individual zinc finger DNA binding site with mutations at one or more of the base-contacting positions; and culturing said plant cell under conditions wherein said zinc finger protein is stably expressed and binds to said target nucleotide sequence, whereby the level of said compound in said plant cell is modulated.

Claim 71 (Previously presented): The method of claim 70, wherein the compound is phytic acid.

Claim 72 (Previously presented): The method of claim 70, wherein the target gene encodes AP3.

Claim 73 (Canceled)

Claim 74 (Previously presented): An expression vector comprising a nucleotide sequence encoding a synthetic zinc finger protein, said zinc finger protein that specifically binds to a target nucleotide sequence, or a complementary strand thereof, within a target gene,

wherein said target nucleotide sequence comprises 18 nucleotides and wherein said zinc finger protein is a hexadactyl zinc finger protein comprising one individual zinc finger DNA binding site with mutations at one or more of the base-contacting positions.

Claim 75 (Canceled)

Claim 76 (Previously presented): A stably transformed plant cell comprising the expression vector of claim 74, wherein said synthetic zinc finger protein is under the control of a first promoter.

Claim 77 (Previously presented): The stably transformed plant cell of claim 76, wherein the target nucleotide sequence is endogenous or exogenous to the targeted gene.

Claim 78 (Previously presented): The stably transformed plant cell of claim 76, wherein the target gene is endogenous or exogenous to the plant cell.

Claim 79 (Previously presented): The stably transformed plant cell of claim 76, which is contained in an intact plant.

Claim 80 (Previously presented): The stably transformed plant cell of claim 76, wherein the zinc finger protein controls its own expression by binding to a target sequence within the zinc finger protein gene.

Claim 81 (Previously presented): The stably transformed plant cell of claim 76, wherein the zinc finger protein controls its own expression by binding to a first target sequence within the zinc finger protein gene and controls the expression of the target gene by binding to a second target sequence within the target gene.

Claim 82 (Previously presented): The stably transformed plant cell of claim 81, wherein the first target sequence within the zinc finger protein gene is different from the second target sequence within the target gene.

Claim 83 (Previously presented): The stably transformed cell of claim 76, wherein the zinc finger protein gene is further controlled by a second promoter.

Claim 84 (Previously presented): The stably transformed plant cell of claim 83, wherein the second promoter is inducible.

Claim 85 (Previously presented): The stably transformed plant cell of claim 76, wherein the zinc finger protein comprises at least six zinc finger sequences.

Claims 86-87 (Canceled)

Claim 88 (Previously presented): The stably transformed plant cell of claim 76, which is selected from the group consisting of a tobacco, tomato, potato, banana, soybean, pepper, wheat, rye, rice, spinach, carrot, maize and corn.

Claims 89-90 (Canceled)

Claim 91 (Previously presented): The stably transformed plant cell of claim 78, wherein said zinc finger protein is constitutively expressed.

Claim 92 (Previously presented): The stably transformed plant cell of claim 78, wherein said zinc finger protein is inducibly expressed.

Claim 93 (Previously presented): A stably transformed plant tissue, which tissue comprises the genetically modified plant cell of claim 76.

Claim 94 (Currently amended): A stably transformed plant seed, which seed comprises the ~~genetically modified~~ stably transformed plant cell of claim 76.

Claim 95 (Previously presented): The stably transformed plant seed of claim 94, which is selected from the group consisting of a tobacco, tomato, potato, banana, soybean, pepper, wheat, rye, rice, spinach, carrot, maize and corn seed.

Claim 96-97 (Canceled)

Claim 98 (Previously presented): A plant that is regenerated from a plant cell transformed with the expression vector of claim 74.

Claim 99 (Previously presented): A method to stably modulate expression in a plant cell, which method comprises culturing the plant cell of claim 76.

Claim 100 (Previously presented): The method of claim 99, wherein the plant cell is cultured in planta.

Claims 101-132 (Canceled)

Claim 133 (Currently amended): The method of claim 1, wherein the zinc finger protein comprises a framework (or backbone) ~~derived~~ obtained from a naturally occurring zinc finger protein.

Claim 134 (Currently amended): The method of claim 1, wherein the zinc finger protein comprises a framework (or backbone) ~~derived~~ obtained from a zinc finger protein comprising a C2H2 motif.

Claim 135 (Previously presented): The method of claim 134, wherein the protein or peptide sequence within the β sheet of the C2H2 motif is not changed from its natural sequence.

Claim 136 (Currently amended): The method of claim 1, wherein the zinc finger protein comprises a framework (or backbone) ~~derived~~ obtained from a zinc finger protein that is naturally functional in plant cells.

Claim 137 (Previously presented): The method of claim 136, wherein the framework (or backbone) comprises a motif selected from the group consisting of a C3H zinc finger, a QALGGH motif, a RING-H2 zinc finger motif, a 9 amino acid C2H2 motif, a zinc finger motif of Arabidopsis LSD1 and a zinc finger motif of BBF/D of domain proteins.

Claim 138 (Canceled)